



MATERIAL SAFETY DATA SHEET

Page 1 of 3

IDENTIFICATION

Product Name: **TERIC BLOAT BLOCK**

DANGEROUS GOODS CLASSIFICATION

Dangerous Goods Class: None allocated
Subsidiary Risk: None allocated
U.N. Number: None allocated
Hazchem code: None allocated
Packaging Group: None allocated
Poisons Schedule: None allocated

Use: Stock lick for the control of legume bloat in beef and dairy cattle.

Physical Properties / Description

Appearance : A dark brown to black block, free from cracks and segregated particles, with a glassy surface sheen.

Solubility in Water : Partly soluble

Flash Point : Non-combustible

Ingredients

<u>Chemical Entity</u>	<u>CAS Number</u>	<u>Proportion (w/w)</u>
Salt	7647-14-5	14%
Magnesium Oxide	1309-48-4	10%
Teric 12A23B	68131-39-5	10%
Molasses	8052-35-2	To 100%

HEALTH HAZARD INFORMATION

Health Effects

Acute:

Swallowed: Relatively non-toxic. May result in diarrhoea, nausea and vomiting
Eye: Non-irritant
Skin: Non-irritant
Inhaled: Not normally an inhalation risk due to the nature of the product.

Chronic: **No information available.**

First Aid

Swallowed: Give plenty of water to drink. If more than trivial ingestion, seek medical advice.
Eye: Irrigate with copious quantities of water for at least 15 minutes. Eyelids to be held open. If irritation persists, seek medical attention.
Skin: Wash thoroughly with soap and water.

Advice to Doctor

Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Standards

Not applicable for normal use.

Engineering Controls

Not applicable for normal use.

Personal Protection

None required.

Flammability

Non-combustible solid.

SAFE HANDLING INFORMATION

Storage and Transport

Storage:

Store in original container in a cool (<30° C), dry place, out of direct sunlight.

Transport:

Teric Bloat Block is not classified as a dangerous good for the purpose of road and rail transport.

Spills and Disposal

Spills:

Collect and seal in drums for disposal. Wash area to drain with excess water.

Disposal:

Refer to the relevant state Land Waste Management Authority.

Fire/Explosion Hazard

Non-combustible solid.

Other Information:

Magnesium Oxide- Aquatic Toxicity Rating TLM96: >1000ppm

Salt –

Oral LD₅₀ (rat): 3000mg/kg

Oral Lowest Toxic Dose (Human): 8.2g/kg

Teric 12A series -

Oral LD₅₀ (rat, mouse): >1500 mg/kg

Dermal LD₅₀ (rabbit): >2000 mg/kg

CONTACT POINT:

Technical Manager

0417 625 837

Or

Customer Service

1800 811 613